

INDEX MAPS.

T. 11 N. R. 9 E. 2nd Mer.

	204		204		203		203		203		202	
206	6	228	5	222	4	218	3	214	2	210	1	200
	228		228		222		218		214		210	
206	7	227	8	221	9	218	10	213	11	210	12	202
	227		226		221		217		213		209	
205	18	226	17	221	16	217	15	213	14	209	13	201
	226		225		220		216		212		209	
205	19	225	20	220	21	216	22	212	23	208	24	201
	224		224		220		216		212		208	
205	30	224	29	219	28	215	27	211	26	207	25	201
	223		223		219		215		211		207	
204	31	223	32	219	33	215	34	211	35	207	36	200
	200		200		199		199		199		199	

T. 12 N. R. 9 E. 2nd Mer.

	236		236		236		235		235		235	
238	6	259	5	253	4	250	3	246	2	242	1	234
	259		258		253		249		245		242	
238	7	258	8	253	9	249	10	245	11	241	12	234
	258		257		252		248		245		241	
238	18	257	17	252	16	248	15	245	14	241	13	233
	257		256		252		248		244		241	
237	19	256	20	251	21	247	22	244	23	240	24	233
	256		255		251		247		243		240	
237	30	255	29	251	28	247	27	243	26	240	25	233
	255		254		250		246		243		239	
237	31	254	32	250	33	246	34	242	35	239	36	232
	232		232		231		231		231		231	

The figures on the lines refer to the page.

Township N. 12 North, Range N. 9 East 2. Mer. Indiana 231

Ch. 16

South Boundary var. 6.45.6

Met On S. boundary of Sec. 36

10.50 a Creek 50 Ch. with Course S. W

12.60 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which

a Beech 14 in. dia. bray S 10 N 20 Ch. dist. of

a Do. 20 " " " N 32 E 23 " "

46.90 a Beech 20 " "

80.00 Set post Cor. to Sec. 35 of 36, from which

a Beech 14 in. dia. bray N 33 E 15 Ch. dist. of

a Do. 12 " " " N 83 W 10 " "

Sand level timber Beech, Ash, and g. Spruce

Met On S. boundary of Sec. 35

31.35 an Ash 18 in. dia.

40.00 Set q. Sec. post, from which

a Beech 9 in. dia. bray N 45 W 10 Ch. dist. of

a Do. 9 " " " N 40 E 33 " "

65.45 a Sugar 8 " "

80.00 Set post Cor. to Sec. 34 of 35, from which

a Sugar 8 in. dia. bray N 77 E 20 Ch. dist. of

a Do. 9 " " " S 61 N 32 " "

Sand timber &c. Same as on the last mile

Met On S. boundary of Sec. 34

24.10 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which

a Beech 24 in. dia. bray N 49 W 17 Ch. dist. of

a Sugar 9 " " " N 11 W 20 " "

67.40 An Ash 27 " "

80.00 Set post Cor. to Sec. 33 of 34, from which

a Beech 6 in. dia. bray N 24 E 6 Ch. dist. of

a Do. 18 " " " S 4 W 28 " "

Sand timber &c. Same as on last mile

Met On S. boundary of Sec. 33

Twp. N. R. 9 E. 2^d. Mer. Indiana

ch. l. by
 23.10 a Beech 21 in. dia.
 40.00 Let gr. Sec. post, from which
 a Beech 15 in. dia. by N 79 E 14 l. dist. to
 a do. 15 " " " N 46 W 21 " "
 46.80 a Creek 75 l. wide C. S.
 80.00 Let post Cor. to Sec. 32 of 33, from which
 a W. Beech 6 in. dia. by N 81 E 15 l. dist. to
 a Beech 6 " " " N 77 W 12 " "
 Hollingland timber Beech, Sugar, Walnut &c
 and ang^r. Spruce

West On S. boundary of Sec. 32
 25.45 a Sugar 9 in. dia.
 40.00 Let gr. Sec. post, from which
 a Beech 9 in. dia. by N 81 E 25 l. dist. to
 a do. 20 " " " N 89 E 18 " "
 42.90 a Beech 14 " "
 80.00 Let post Cor. to Sec. 31 of 32, from which
 a Beech 24 in. dia. by N 16 W 10 l. dist. to
 a do. 18 " " " N 2 W 34 " "
 Land timber &c. same as on the last mile

West On S boundary of Sec. 31
 3.25 a Branch 5 l. wide Course S. W.
 11.00 Flat Rock C.R. 200 l. wide Course S.
 27.75 a Beech 12 in. dia.
 40.00 Let gr. Sec. post, from which
 a Beech 20 in. dia. by N 7 E 14 l. dist. to
 a do. 9 " " " N 8 E 13 " "
 78.82 intersected the N of S. line
 (Description of Land &c. Omitted)

East Boundary. var. 6.30 E
 North On E. boundary of Sec. 36
 3.86 a Creek 50 l. wide Course W.
 11.21 an Elm 24 in. dia.

Twp. N 9 E. 2. Mer. Indiana 233

ch. 2th
40.00 Set of Sec. post, from which
an Ash 27 in. dia. bray N 51 W 15 lks. dist. of
a Beech 6 " " " S 32 E 2 " "

41.08 a Do 13 " "
80.00 Set post cor. to Sec. 25 of 36, from which
a Beech 21 in. dia. bray N 71 E 11 lks. dist. of
a Do. 6 " " " N 87 W 9 " "
Level land, timber Beech, Elm, Hickory &c.
underlying Spruce & Logwood

North On E. boundary of Sec. 25

7.09 a Beech 12 in. dia.
40.00 Set of Sec. post, from which
a Beech 6 in. dia. bray N 28 E 5 lks. dist. of
an Ash 27 " " " N 69 W 4 " "

52.12 a Beech 15 " "
80.00 Set post cor. to Sec. 24 of 25, from which
a Beech 30 in. dia. bray N 80 W 13 lks. dist. of
a Do. 15 " " " N 26 E 23 " "
Low wet land, timber Beech, Spr. Ash, (Maple &c)

North On E. boundary of Sec. 24

3.97 a Beech 10 in. dia.
40.00 Set of Sec. post, from which
a Hickory 6 in. dia. bray S 54 W 14 lks. dist. of
a Beech 4 " " " N 68 E 10 " "

41.22 a Do. 9 " "
61.30 a Branch 8 lks. wide Cr. S. N. W.
80.00 Set post cor. to Sec. 13 of 24, from which
a Hickory 10 in. dia. bray N 37 W 3 lks. dist. of
a Sugar 12 " " " S 27 E 24 " "
Land rolling, timber ash, Walnut &c.

North On E. boundary of Sec. 13

4.65 a Beech 15 in. dia.
40.00 Set of Sec. post, from which

234 Sp. N. 19 E. 2nd Mer. Indiana

ch. lbs

a Beech 27 in. dia. bray N 86 W 21 lbs. dist. of
a do. 12 " " " N 88 E 15 " "
69.00 a Creek 30 lbs. wide C. S. W.
80.00 1st post Cor. to Sec. 12 & 13 from which
a Beech 30 in. dia. bray N 78 W 16 lbs. dist. of
a do. 27 " " " S 51 E 28 " "
Level land, timber as before

North On E. boundary of Sec. 12

13.40 an Elm 12 in. dia.
39.40 a Creek 40 lbs. wide C. S. W.
40.00 1st. q. Sec. post, from which
a hewn Beech 6 in. dia. bray N 87 W 10 lbs. dist. of
a R. Oak 14 " " " N 86 E 19 " "
42.75 a Creek 70 lbs. wide Course —
48.83 a Beech 14 in. dia.
69.62 a Spring branch 4 lbs. wide C. S. W.
80.00 1st post Cor. to Sec. 11 & 12, from which
a Beech 9 in. dia. bray S 53 W 5 lbs. dist. of
a do. 8 " " " N 14 E 28 " "
Rolling land timber Beech, Poplar, Sugar &c.

North On E. boundary of Sec. 1

22.00 a Blm Ash 20 in. dia.
40.00 1st q. Sec. post from which
a Beech 18 in. dia. bray N 25 W 17 lbs. dist. of
a do. 12 " " " S 49 E 27 " "
51.69 a Beech 15 " " "
74.00 1st post Cor. to Township 12 & 13 North, of
Range 9 & 10 East, from which
a Beech 18 in. dia. bray S 38 E 5 lbs. dist. of
a do. 15 " " " N 71 W 36 " "
Level land, timber Walnut, Beech &c.
ending at Spruce &c. July 13th 1819

North Boundary. var. C. 45.6

T12N R9E. 2nd Mer. Indiana 235

ch² lth
 West On S. boundary of Sec. 36, T12N. R9E
 19.80 a Blue Ash 9 in. dia.
 40.00 Set qr. Sec. post, from which
 a Beech 27 in. dia. bray South 3 lth. dist of
 a do. 10 " " " N46E 26 " "
 71.03 a Beech 12 " "
 80.00 Set post post Cor. to Sect. 35 & 36, from which
 a Beech 18 in. dia. bray N22E 24 lth. dist of
 a do. 18 " " " S49W 23 " "
 Level land timber Beech, Ash, Cherry, Sugar
 &c. undergth. Spruce, good for farming

West On S. boundary of Sec. 35, T12N. R9E.
 30.65 an Ash 18 in. dia.
 40.00 Set qr. Sec. post, from which
 a W. Beech 6 in. dia. bray S51E 7 lth. dist of
 a do. 6 " " " N14W 23 " "
 57.75 a Blue Ash 20 " "
 70.75 a Branch 8 lth. wide Cr. N.
 80.00 Set post Cor. to Sect. 34 & 35, from which
 a Beech 17 in. dia. bray S45E 18 lth. dist of
 a do. 10 " " " N60W 19 " "
 Level land, timber same as on last mile

West On S. boundary of Sec. 34, T12N. R9E.
 8.03 a Beech 15 in. dia.
 40.00 Set qr. Sec. post, from which
 a Beech 9 in. dia. bray N45W 14 lth. dist of
 a do. 30 " " " S34E 26 " "
 70.50 Flat Rock Cr. 200 lth. wide Cr. S. W.
 77.60 an Elm 18 in. dia.
 80.00 Set post Cor. to Sect. 33 & 34, from which
 an Elm 9 in. dia. bray N65E 23 lth. dist of
 a Blue Ash 8 " " " S82W 35 " "
 Land timber &c. same as on last mile

236 West R9E. 2^d Mer. Indiana

ch^lky West On S. boundary of Sec. 33, T13N. R9E.

12.40 a Hickory 18 in. dia.

17.50 Flat Rock Cr. Corner N.W.

26.50 Same Cr. " S.W.

40.00 Set q. Sec. post, from which
a Beech 7 in. dia. bray N10E 8 lks. dist. of
a N. Beech 6 " " " N71E 14 " "

54.00 a Beech 10 " "

80.00 Set post Cor. to Sec. 32 of 33, from which
a Beech 15 in. dia. bray N79E 32 lks. dist. of
a do. 10 " " " N82W 13 " "

First 1/2 overflowed bottom - last 1/2 rolling
land timber Beech, Ash, undngth Spruce
Soil good

West On S. boundary of Sec. 32, T13N. R9E.

14.40 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which
a Beech 9 in. dia. bray N56E 28 lks. dist. of
a do. 15 " " " N52W 32 " "

50.05 a Beech 27 " "

80.00 Set post Cor. to Sec. 31 of 32 from which
a Beech 12 in. dia. bray N42E 32 lks. dist. of
a do. 15 " " " N77W 12 " "

First 1/2 mile rolling good farming land - last
1/2 same - all 2^d rate timber, Beech, Ash, Elm
etc. undngth Spruce etc. Soil good

West On S. boundary of Sec. 31, T13N. R9E.

21.90 a Beech 18 in. dia.

40.00 Set q. Sec. post, from which
a Walnut 40 in. dia. bray South 20 lks. dist. of
an Elm 20 " " " N18E 20 " "

68.00 to Township Corner

say (78.00) Level land timber Beech, Ash, Elm etc
undngth Spruce. bottom wet rich soil

W. N. R. & C. 2nd Mer Indiana 237
ch. lks
July 19th 1879

West Boundary. var. 7° 15' E.
North On E. boundary of Sec. 36, W. N. R. & C.
40.00 Set q. Sec. post, from which
a Beech 14 in. dia. - bray South 37 lks. dist. of
a do. 7 " " " N 66° W 22 " "
49.33 a Beech 22 " "
80.00 Set post Cor. to Sect. 25 & 36, from which
a Beech 12 in. dia. - bray N 37° W 13 lks. dist. of
a do. 10 " " " N 78° E 19 " "
Over good farming land, timber Beech, Ash
&c. undr. &c. Spruce

North On E. boundary of Sec. 25, W. N. R. & C.
25.37 an Elm 24 in. dia.
40.00 Set q. Sec. post, from which
a Beech 8 in. dia. - bray N 87° E 21 lks. dist. of
a Hackberry 24 " " " N 12° E 46 " "
62.87 an Ash 18 " "
80.00 Set post Cor. to Sect. 24 & 25, from which
a Beech 12 in. dia. - bray S 22° E 31 lks. dist. of
a do. 12 " " " N 62° W 14 " "
Sand timber &c. Same as on last mile

North On E. boundary of Sec. 24, W. N. R. & C.
25.79 a Beech 18 in. dia.
40.00 Set q. Sec. post, from which
a Beech 27 in. dia. - bray S 52° E 12 lks. dist. of
a do. 7 " " " N 30° W 33 " "
55.36 a Elm 15 " "
80.00 Set post Cor. to Sect. 13 & 24, from which
a Beech 13 in. dia. - bray S 27° E 5 lks. dist. of
a do. 14 " " " N 36° W 45 " "
Sand timber &c. Same as on last mile

T12N R9E. 2^d. Mer Indiana

ch. 4th
North On E. boundary of Sec. 13, T12N. R8E

40.00 At gr. Sec. post, from which
a Sugar 6 m. dia. bray S24E 16 lks. dist. of
a Beech 16 " " " N33W 21 " "

53.09 an Elm 19 " "

80.00 At post Cor. to Sec. 12 & 13, from which
a Beech 10 m. dia. bray S22E 21 lks. dist. of
a do. 10 " " " N56W 9 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 12, T12N. R8E.

24.93 a Beech 12 m. dia.

40.00 At gr. Sec. post, from which
a Beech 24 m. dia. bray S80E 9 lks. dist. of
a do. 7 " " " N80W 20 " "

59.50 a Hickory 27 " "

80.00 At post Cor. to Sec. 1 & 12, from which
a Beech 12 m. dia. bray S5E 44 lks. dist. of
a do. 12 " " " N37W 31 " "
Level wet land, timber Beech, Hackberry &c.
underg^t. Spruce, Soil good

North On E. boundary of Sec. 1, T12N. R8E.

14.18 a Beech 12 m. dia.

40.00 At gr. Sec. post, from which
a Beech 6 m. dia. bray S41W 7 lks. dist. of
a do. 10 " " " N7E 22 " "

42.50 a Poplar 48 " "

70.12 At post Cor. to Township 12 & 13 North
Range 8 & 9 East, from which
a Beech 14 m. dia. bray S77W 10 lks. dist. of
a do. 8 " " " N65E 13 " "
Land timber &c. same as on last mile

Surveyed in 1819 by

John McDonald,

Deputy Surveyor

Sp. N. & Co. 2^d. Mer. Indiana 239
ch. l. l.

Subdivision.

We Rich^d. C. Talbott & Ferdinand Strickland, do solemnly swear, in the presence of Almighty God, that we will, in all measurements, in which we shall be employed as Chain Carriers, in the public survey, faithfully and impartially execute the duties of the trust reposed in us to the best of our skill and abilities, so help us God.

Rich^d. C. Talbott

Ferdinand Strickland

Sworn and Subscribed before me this
17th day of Oct. A.D. 1849
Rasil Bently L.S.

North & Between Secs. 35 & 36

2.50 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 24 in. dia. bears S 57 E 10 lks. dist. &
a Sugar 10 " " " N 4 E 30 " "

49.25 a Hickory 15 " "

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Buckeye 6 in. dia. bears N 50 E 10 lks. dist. &
a Sugar 15 " " " S 22 W 12 " "

Land level first rate Ash Poplar Sugar Beech
undergrowth Spice

East On Pradom between Secs. 25 & 36

40.00 Set temp. of Sec. post.

79.80 Intersected the E. boundary 5 lks. N. of post.
Land timber &c. same as last. mile

West Corrected between Secs. 25 & 36

39.90 Set of Sec. post. at average dist. from which
an Elm 10 in. dia. bears N 10 W 47 lks. dist. &
a Maple 4 " " " S 54 W 5 " "

T2N R9E 2nd Mer. Indiana

ch. lks

79.80 to Section Corner

North Between Secs. 25 & 26

7.48 a Beech 26 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears S 57 E 5 lks. dist. &
a Sugar 20 " " " S 82 W 20 " "

56.80 an Ash 18 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26. from which
a Beech 8 in. dia. bears S 25 E 8 lks. dist. &
a No. 24 " " " N 53 W 20 " "
Land timber &c. Same as last mile

East On Random between Secs. 24 & 25

40.00 Set temp. of Sec. post.

79.84 Intersected the E. boundary 16 1/4 lks. N. of post.
Land timber &c. Same as last mile

West Connected between Secs. 24 & 25

39.92 Set of Sec. post. at average dist. from which
an Ash 2 in. dia. bears N 56 W 13 lks. dist. &
a Beech 6 " " " S 17 W 30 " "

79.84 to Section Corner

North Between Secs. 23 & 24

5.08 a Buckeye 15 in. dia.

40.00 Set of Sec. post, from which
a W. Beech 4 in. dia. bears S 74 W 15 lks. dist. &
a Beech 10 " " " S 70 E 29 " "

47.53 a Creek 50 lks. wide Course W. curv. moderate

53.30 a Beech 15 in. dia.

80.00 Set post Cor. to Secs. 13, 14, 23 & 24. from which
a Beech 20 in. dia. bears S 40 E 20 lks. dist. &
a No. 18 " " " N 23 W 40 " "

Land timber &c. Same as last mile

T12 N - R9 E. 2nd Mer. Indiana

241

ch. l. by

East On Prandom between Sec. 13 & 24

40.00 Set temp. of Sec. post.

79.40 Intersected the E. boundary 203 lks. N. of post.

Land timber &c. same as on the last mile.

West Corrected between Sec. 13 & 24

39.70 Set of Sec. post. at average dist. from which
a Beech 6 in. dia. bears N 5 E 15 lks. dist. &
a Sugar 15 " " " S 40 N 5 " " "

79.40 to Section Corner

North Between Sec. 13 & 14

8.24 an Ash 26 in. dia.

40.00 Set of Sec. post. from which

a Beech 6 in. dia. bears S 2 N 20 lks. dist. &

a No. 7 " " " N 24-27 " "

46.15 a Beech 30 " "

80.00 Set post Corner to Sec. 11, 12, 13 & 14, from which

a Buckeye 4 in. dia. bears S 75 N 4 lks. dist. &

a cherry 2 " " " S 83 E 12 " "

Land timber &c. same as last mile

East On Prandom between Sec. 12 & 13

21.83 a Creek 40 lks. wide course S. cur. moderate.

40.00 Set temp. of Sec. post

79.00 Intersected the E. boundary 337 lks. N. of post.

Land timber &c. same as last mile

West Corrected between Sec. 12 & 13

39.50 Set of Sec. post. at average dist. from which
an Elm 15 in. dia. bears S 50 E 7 lks. dist. &

a cherry 13 " " " N 74 N 20 " "

79.00 to Section Corner

North Between Sec. 11 & 12

4.03 an Ash 30 in. dia.

242

Twp N R 9 E. 2^d Mer Indiana

ch. lks

40.00 Set of. Sec. post. from which
a Beech 20 in. dia. bears S 41° N 30 lks. dist. &
an Elm 12 " " " N 59° E 10 " "

51.55 Coffeenut 10 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
a Cherry 5 in. dia. bears S 19° N 5 lks. dist. &
a Beech 10 " " " N 71° N 30 " "
Land timber &c. Same as last mile

East On Prandon between Sec. 1 & 12

11.03 a Stream 6 lks. wide Course S.

25.20 a No. 5 " " " S.

40.00 Set temp. of. Sec. post

78.17 Intersected the E. boundary 533 lks. N. of post.
Land timber same as last mile

West Corrected between Sec. 1 & 12.

39.08 Set of. Sec. post. at average dist. from which
a Beech 40 in. dia. bears N 69° E 2 lks. dist. &
a Sugar 24 " " " S 20° N 20 " "

78.17 to Section Corner

North Between Sec. 1 & 2.

10.76 a Beech 18 in. dia.

40.00 Set of. Sec. post. from which
a Sugar 5 in. dia. bears S 14° N 18 lks. dist. &
a Hickory 7 " " " N 44° E 25 " "

59.59 a Beech 12

68.00 ^{Intersected the N. boundary 73 lks. E. of post} Set post Cor. to Sec. 1 & 2, from which

a Beech 24 in. dia. bears S 18° N 20 lks. dist. &
a Dogwood 3 " " " S 66° E 11 " "
Land timber &c. Same as on the last mile

October 24th 1819.

North Between Sec. 34 & 35

33.39 a Sugar 12 in. dia.

S. N. R. E. 2. Mer. Indiana 243

ch. 2. 1/4

40.00 Set qf. Sec. post, from which
a Beech 12 in. dia. bears S 34 W 4 lks. dist. &
a Do 13 " " " S 88 E 6 " "

52.76 a Beech 24 " "

80.00 Set post. Cor. to Secs. 26, 27, 34 & 35, from which
a Beech 10 in. dia. bears S 25 E 32 lks. dist. &
a Sugar 15 " " " N 10 W 13 " "
Land timber &c. Same as on the last

East On Random between Secs. 26 & 35

40.00 Set temp. qf. Sec. post

80.00 Intersected the N. & S. line 100 lks. S. of post.
Land timber &c. Same as last mile

West Corrected between Secs. 26 & 35

40.00 Set qf. Sec. post, at average dist. from which
a Beech 20 in. dia. bears N 76 W 6 lks. dist. &
a Hickory 24 " " " S 31 E 2 " "

80.00 To Section Corner

North Between Secs. 26 & 27

3.85 a Beech 36 in. dia.

21.00 a Creek 40 lks. wide course S. W.

40.00 Set qf. Sec. post, from which
a Beech 24 in. dia. bears N 55 E 10 lks. dist. &
a Sugar 5 " " " S 26 W 25 " "

44.60 a Do 12 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Beech 8 in. dia. bears S 51 W 6 lks. dist. &
a Do 5 " " " N 30 E 12 " "
Land rolling first rate timber Ash Beech Poplar
Sugar &c. under qf. Spruce & Pawpaw-

East On Random between Secs. 23 & 26

27.60 a branch 3 lks. wide course S.

40.00 Set temp. qf. Sec. post.

244

T12 N 129 E 2nd Mer. Indiana

Ch. P. 164

41.05

a Creek 40 lks. wide course S. W. rapid

79.90

Intersected the N. & S. line 85 lks. S. of post.

Land Hilly first. rate timber Ash, Beech, Sugar,
Poplar, undergrowth Spice -

West

Corrected between Sec. 23 & 26

39.95

Set of. Sec. post, at average dist. from which
a Sugar 10 in. dia. bears N 39 E 12 lks. dist. &
an Oak 15 " " " S 64 W 14 " "

79.90

to Section Corner

October 25th 1819

North

Between Sec. 22 & 23

6.40

a Beech 12 in. dia.

40.00

Set of. Sec. post. from which

a Beech 21 in. dia. bears S 81 E 3 lks. dist. &

a No. 18 " " " N 87 W 11 " "

73.60

a Beech 18 " "

81.00

Set post, Cor. to Sec. 14, 15, 22 & 23, from which

a Beech 30 in. dia. bears N 70 W 7 lks. dist. &

a Sugar 12 " " " S 57 E 4 " "

Land level first. half mile 2nd rate - last 1/2
first rate timber Beech Ash Poplar Sugar
undergrowth Spice &c.

East

On Random between Sec. 14 & 23

40.00

Set temp. of. Sec. post

79.80

Intersected the N. & S. line 34 lks. N. of post.

Land level first. rate timber Poplar, Sugar, Ash,
Beech &c. undergrowth Spice.

West

Corrected between Sec. 14 & 23.

39.90

Set of. Sec. post, at average dist. from which

a Beech 26 in. dia. bears S 25 E 20 lks. dist. &

a No. 30 " " " N 62 W 30 " "

79.80

to Section Corner

245

Twp. 29E, 2nd Mer. Indiana

Ch. 1/4

North Between Sec. 14 & 15

31.25 a Beech 30 in. dia.

40.00 Set q. Sec. post. from which
a Beech 40 in. dia. bears S 25 E 20 lbs. dist. &
a Buckeye 5 " " " S 60 W 2 " "

66.78 a Sugar 12 " "

80.00 Set post. Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 12 in. dia. bears N 85 W 3 lbs. dist. &
a No. 13 " " " N 77 E 23 " "
Land timber &c. same as last mile

East On Random between Sec. 14 & 11.

40.00 Set temp. q. Sec. post.

79.80 Intersected the N. & S. line 25 lbs. N. of post.
Land timber &c. same as on last mile

West Connected between Sec. 14 & 11

39.90 Set q. Sec. post. at average dist. from which
a Beech 26 in. dia. bears N 22 W 11 lbs. dist. &
a No. 6 " " " S 82 E 24 " "

79.80 to Section Corner

North Between Sec. 10 & 11

3.40 a Hackberry 24 in. dia.

40.00 Set q. Sec. post. from which
a Beech 7 in. dia. bears S 53 E 8 lbs. dist. &
a No. 30 " " " N 53 W 14 " "

62.84 a Hackberry 12 in. dia.

80.00 Set a post. Cor. to Sec. 2, 3, 10 & 11, from which
a W. Beech 5 in. dia. bears S 79 E 5 lbs. dist. &
a Beech 4 " " " N 89 W 8 " "
Land timber &c. same as on the last mile

East On Random between Sec. 2 & 11

40.00 Set temp. q. Sec. post.

79.05 Intersected the N. & S. line 74 lbs. N. of post.

246 *Sp. N. N. 9 E. 2nd Mer. Indiana*
ch. lks

Land timber &c. Same as on the last mile

West Corrected between Sec. 2 & 11

39.52 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 51° W 2 lks. dist. &
a No. 8 " " " S 62° E 1 1/4 " "

79.05 to Section Corner

North Between Sec. 2 & 3.

3.90 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
an Ash 10 in. dia. bears S 87° W 4 lks. dist. &
a No. 6 " " " S 60° E 30 " "

52.36 a Beech 24 " "

66.63 Intersected the N. boundary 207 lks. E. of post.
Set post cor. to Sec. 2 & 3, from which
a Beech 12 in. dia. bears N 63° W 2 lks. dist. &
a Buckeye 13 " " " S 7° E 30 " "
Land timber &c. Same as last mile

North Between Sec. 33 & 34. Oct. 26th 1819

15.96 a Beech 27 in. dia.

40.00 Set q. Sec. post, from which
a Beech 6 in. dia. bears S 12° W 10 lks. dist. &
a No. 5 " " " N 52° E 8 " "

47.65 a Creek 50 lks. wide Course S. W. Current moderate

60.45 a Sugar 12 in. dia.

80.00 Set post cor. to Sec. 27, 28, 33 & 34, from which
an Ash 26 in. dia. bears S 68° W 38 lks. dist. &
a Beech 46 " " " N 87° E 1 1/4 " "

Land rolling first rate timber Ash, Beech,
Sugar Poplar - undergrowth Spice.

East On Random between Sec. 27 & 34

40.00 Set temp. q. Sec. post.

70.05 a Creek 50 lks. wide Course S. W. Cur. moderate

247

S 12 N 9 E. 2^d Mer. Indiana
ch. l. lks
 79.25 Intersected the N & S. line 45 lks. S. of post.
 Land & timber Same as on last. Mile

West Corrected between Sec. 27 & 34.
 39.62 Set of. Sec. post. at average dist. from which
 a Buckeye 8 in. dia. bears S 84 N 2 lks. dist. &
 an Ash 18 " " " N 22 E 4 " "
 79.25 to Section Corner

North Between Sec. 27 & 28
 8.90 a Beech 10 in. dia.
 40.00 Set of. Sec. post. from which
 a Beech 5 in. dia. bears S 60 N 31 lks. dist. &
 a Wo. 39 " " " N 46 E 22 " "
 53.10 a S. branch 3 lks. wide Course S. W.
 60.22 a Beech 15 in. dia.
 80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which
 a Beech 12 in. dia. bears S 63 N 20 lks. dist. &
 a Wo. 11 " " " N 41 E 5 " "
 Land level 2^d rate timber Beech Ash Poplar
 undergrowth Spice

East On Random between Sec. 22 & 27.
 40.00 Set temp. of. Sec. post.
 79.00 Intersected the N. & S. line 54 lks. S. of post.
 Land timber &c. Same as last. Mile

West Corrected between Sec. 22 & 27
 39.50 Set of. Sec. post. at average dist. from which
 a B. Oak 30 in. dia. bears S 50 E 3 lks. dist. &
 a Sugar 7 " " " N 21 N 10 " "
 79.00 To Section Corner

North Between Sec. 21 & 22.
 40.00 Set of. Sec. post. from which
 an Ash 3 in. dia. bears S 75 E 8 lks. dist. &

248 *Sp. N. R. G. 2nd Mer. Indiana*
ch. 167

an Ash 3 in. dia. bears N 40 E 15 hr. dist.
66.10 a Beech 24 "
81.00 Set post. Cor. to Sec. 15. 16. 21 & 22, from which
a B. Walnut 12 in. dia. bears S 72 E 8 hr. dist. &
a Beech 30 " " N 29 W 10 " "
Land rolling 2nd rate Ash Beech Poplar &c.
undergrowth Spice & pawpaw—

East On Random between Sec. 15 & 22.

41.00 Set temp. q. Sec. post.
78.00 Intersected the N. & S. line 57 hr. S. of post.
Land level first rate timber Ash Beech
Poplar &c. undergrowth Spice &c.

West Corrected between Sec. 15 & 22.

39.00 Set q. Sec. post. at average dist. from which
an Ash 15 in. dia. bears S 84 E 20 hr. dist. &
a Beech 7 " " " N 5 W 12 " "
78.00 to Section Corner

October 27th 1819.

North Between Sec. 15 & 16.

18.30 a Stream 10 hr. wide course S. W.
25.30 a W. Oak 30 in. dia.
40.00 Set q. Sec. post. from which
an Ash 7 in. dia. bears S 4 W 50 hr. dist. &
a H. 6 " " " S 63 W 30 " "
50.75 an Elm 24 " "
81.00 Set post Cor. to Sec. 9. 10. 15 & 16, from which
a Beech 10 in. dia. bears S 30 W 20 hr. dist. &
a Buckeye 5 " " " N 5 E 12 " "
Land rolling 2nd rate Beech Ash Poplar &c.
undergrowth Spice &c.

East On Random between Sec. 10 & 15

20.45 a Stream 6 hr. wide Course S.

T12 N N9 E. 2^d. Mer. Indiana 249

Ch. P. 1st 1/2

40.00 Set temp. q. Sec. post.

45.40 a Stream 6 lks. wide course S. W.

78.00 Intersected the N. & S. line 11 lks. S. of post.
Land Hilly 3^d. rate timber Beech, Ash, Poplar,
undergrowth Spice -

West Corrected between Sec. 15 & 10

39.00 Set q. Sec. post, at average dist. from which
a Beech 4 in. dia. bears S 35 N 11 lks. dist. &
a No. 50 " " " N 53 N 20 " "

78.00 to Section Corner

North Between Sec. 9 & 10

5.46 a Beech 10 in. dia.

9.50 a Spring branch 4 lks. wide course E.

24.50 a No. " 3 " " " E.

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears N 83 N 14 lks. dist. &
a No. 12 " " " N 46 E 3 " "

62.38 an Ash 30 " "

80.00 Set post. Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 12 in. dia. bears N 77 N 18 lks. dist. &
an Ash 11 " " " S 61 E 12 " "
Land Hilly 2nd. rate timber the same as last.
mile - undergth Spice -

East On Prandom between Sec. 3 & 10

40.00 Set temp. q. Sec. post.

78.24 Intersected the N. & S. line 30 lks. S. of post.
Land level 2nd. rate timber Ash, Poplar, Beech,
undergrowth Spice &c.

West Corrected between Sec. 3 & 10.

39.12 Set q. Sec. post, at average dist. from which
an Ash 36 in. dia. bears N 81 N 30 lks. dist. &
a Buckeye 3 " " " S 47 E 2 " "

250 - Sept 29th O. 2nd Mer. Indiana
Ch. 167
78.24 To Section Corner

North Between Sec. 3 & 4

5.95 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bears S 81 W 19 lks. dist. &
a No. 15 " " " N 32 E 15 " "

48.04 a Cherry 10 " "

63.10 a Creek 150 lks. wide Course S. W. Curr. moderate

67.30 Intersected the N. boundary 460 lks. E. of post.
Set post. Cor. to Sec. 3 & 4, from which
a Beech 18 in. dia. bears S 20 E 40 lks. dist. &
a No. 6 " " " N 23 E 25 " "
Land level first rate timber Ash Beech, &c.
undergrowth Spice &c.

October 28th 1819.

North Between Sec. 32 & 33.

03.20 a Beech 30 in. dia.

40.00 Set q. Sec. post. from which
a Beech 6 in. dia. bears S 50 E 5 lks. dist. &
a No. 5 " " " N 32 W 30 " "

66.24 a Beech 18 " "

69.00 a Creek 30 lks. wide course S. W. rapid

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 7 in. dia. bears S 35 W 5 lks. dist. &
a No. 8 " " " N 38 W 10 " "
Land Hilly 3rd rate timber Beech Ash &c.
undergrowth Spice &c.

East On Random between Sec. 28 & 33.

15.40 a Creek 10 lks. wide Course S. W. moderate

40.00 Set temp. q. Sec. post.

79.80 Intersected the N & S. line 24 lks. S. of post.
Land rolling 2nd rate timber &c. same as last.

251

T2 N9 E2nd Mer. Indiana

ch. l. h.

West Corrected between Sec. 28 & 33.

39.90 Set of Sec. post. at average dist. from which
a Beech 7 in. dia. bears N 54 W 3 lb. dist. 7.
a No. 30 " " " S 47 E 31 " "

79.80 to Section Corner

North Between Sec. 28 & 29.

3.95 an Ash 26 in. dia.

40.00 Set of Sec. post. from which
a Beech 24 in. dia. bears S 84 E 18 lb. dist. 4
a No. 5 " " " N 4 E 21 " "

80.00 Set post. Cor. to Sec. 20, 21, 28, & 29. from which
a Beech 6 in. dia. bears S 48 W 14 lb. dist. 4
a Sugar 8 " " " S 53 E 20 " "
Land Billy 2nd rate timber Ash, Beech &c.
undergrowth Spice -

East On Random between Sec. 21 & 28

40.00 Set temp. of Sec. post.

56.18 a Stream 10 lbs. wide course S. moderate

80.00 Intersected the N & S. line 5 lb. N. of post.
Land rolling 2nd rate timber. Ash, W. Oak, Beech,
undergrowth Spice & Thorn.

West Corrected between Sec. 21 & 28

40.00 Set of Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 82 E 4 lb. dist. 4
an Ash 4 " " " S 49 W 18 " "

80.00 to Section Corner

North Between Sec. 20 & 21

12.60 a Hickory 24 in. dia.

40.00 Set of Sec. post. from which
a Beech 12 in. dia. bears S 73 W 5 lb. dist. 4
a No. 10 " " " N 39 E 25 " "

66.57 an Ash 24 " "

252 *Sp. N. N. 9 E. 2^d. Mer. Indiana*

ch. lks

80.00 Set post. Cr. to Sec. 16, 17, 20 & 21, from which
a Beech 24 in. dia. bears S 28 E 2 lks. dist. &
a No. 12 " " " N 40 W 32 "
Land level 2nd rate timber Ash, Beech, Poplar.

East On Random between Sec. 16 & 21.

40.00 Set temp. q. Sec. post.

59.63 a Stream 6 lks. wide Course S. W.

80.00 Intersected the N. & S. line 68 lks. N. of post.
Land rolling 2nd rate timber Ash Beech,
undergrowth Spice &c.

West Corrected between Sec. 16 & 21

40.00 Set q. Sec. post. at average dist. from which
a Buckeye 8 in. dia. bears S 68 E 5 lks. dist. &
a Sugar 15 " " " S 70 W 50 " "

80.00 to Section Corner

North Between Sec. 16 & 17.

9.07 an Ash 36 in. dia.

14.10 a Spring branch 2 lks. wide Course E.

40.00 Set q. Sec. post. from which
a Beech 7 in. dia. bears N 4 E 8 lks. dist. &
a No. 30 " " " S 18 W 50 " "

145.24 a Poplar 40 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 7 in. dia. bears S 1 E 20 lks. dist. &
a No. 15 " " " N 59 E 20 "
Land level 2nd rate timber Ash Beech Poplar
undergrowth Spice, Briers &c.

East On Random between Sec. 9 & 16

40.00 Set temp. q. Sec. post.

79.20 Intersected the N. & S. line 17 lks. N. of post.
Land timber &c. Same as on last mile

253

T21 N 9 E. 2^d. Mer. Indiana

ch. 1st 1/2

October 29th 1819.

West Corrected between Sec. 9 & 16.

- 39.60 Set q. Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 14 W 11 lh. dist. &
a W. Oak 20 " " " S 60 E 12 " "
79.20 to Section Corner
-

North Between Sec. 8 & 9.

- 9.10 a Hickory 18 in. dia.
40.00 Set q. Sec. post. from which
a Beech 10 in. dia. bears S 15 E 15 lh. dist. &
a W. 20 " " " N 58 W 18 " "
68.65 a W. Oak 15 "
80.00 Set post. cor. to Sec. 4, 5, 8 & 9, from which
an Ironwood 5 in. dia. bears West 12 lh. dist. &
a W. 4 " " " N 53 E 15 " "
Land timber &c. same as on the last mile
-

East On Pradom between Sec. 4 & 9.

- 40.00 Set temp. q. Sec. post.
40.74 a Spring branch 2 lh. wide course N.
81.00 Intersected the N. & S. line at the post.
Land rolling 3rd rate Beech, Ash, timber-
undergrowth Spice-
-

West Corrected between Sec. 4 & 9.

- 40.50 Set q. Sec. post. at average dist. from which
a Beech 14 in. dia. bears N 61 E 14 lh. dist. &
a W. 28 " " " S 66 E 18 " "
81.00 to Section Corner
-

North Between Sec. 4 & 5

- 5.40 a Creek 130 lh. wide Course N. rapid
7.20 a Sycamore 20 in. dia.
40.00 Set q. Sec. post. from which
a Beech 26 in. dia. bears S 39 W 12 lh. dist. &

254 *Appt N 9 E. 2nd Mer. Indiana*
ch. l. 1/2

a Beech 30 in. dia. bears N 64 W 20 lks. dist.
53.05 a No. 28
68.50 Intersected the N. boundary 445 lks. E. of post.
Set post. Cor. to Sect. 4 & 5, from which
a Beech 6 in. dia. bears S 75 W 13 lks. dist. &
a dogwood 3 " " S 38 W 18 " "
Land level 2nd rate timber Beech, Poplar, Ash,
undergrowth Spice—

North Between Sect. 31 & 32.

14.70 a Beech 32 in. dia.
28.27 a Creek 130 lks. wide course S.W. cur. moderate
40.00 Set q. Sect. post. from which
a Beech 18 in. dia. bears N 85 E 50 lks. dist. &
a No. 15 " " " N 47 W 6 " "
48.21 a Beech 18 " "
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 7 in. dia. bears S 44 E 20 lks. dist. &
a No. 3 " " " S 60 W 14 " "
Land level 2nd rate timber Beech, Ash, Poplar &c.
undergrowth Spice.

East On Random between Sect. 29 & 32.

17.50 a Creek 130 lks. wide course S 25 E. cur. moderate
40.00 Set temp. q. Sect. post
79.90 Intersected the N. & S. line 27 lks. S. of post.
first half first rate — last half 2nd rate & Hilly
timber Ash, Beech, Poplar, Sugar W. Oak &c.
undergrowth Spice &c.

West Corrected between Sect. 29 & 32.

39.95 Set q. Sect. post. at average dist. from which
a W. Oak 30 in. dia. bears S 83 E 20 lks. dist. &
a Buckeye 6 " " " N 64 W 20 " "
79.90 to Section Corner

S 12 N R 9 E. 2nd Mer. Indiana 255

Ch. lks

West Between Secs. 30 & 31.

7.20 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 14 in. dia. bears S 88 W 2 lks. dist. &
a Do. 12 " " " S 72 E 25 " "

48.18 a Beech 30 " "

77.67 Intersected the W. boundary 431 lks. S. of post.

Set post Cor. to Secs. 30 & 31, from which.

(bearings Omitted) Land rolling 2nd rate timber
Ash Beech undergrowth Spice -

North Between Secs. 29 & 30

14.00 a Sugar 32 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 12 in. dia. bears S 71 E 12 lks. dist. &
a Buckeye 15 " " " S 85 W 50 " "

57.83 a Sugar 24 " "

58.80 a Spring branch

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 13 in. dia. bears S 40 E 3 lks. dist. &

a Do. 15 " " " N 81 W 28 " "

Land level first rate timber Beech, Sugar, Ash,
undergrowth Spice -

East On Random between 20 & 29.

9.50 a Creek 150 lks. wide course S. 36 E. cur. rapid -

40.00 Set temp. q. Sec. post.

77.38 Intersected the N. & S. line 134 lks. S. of post.

Land Hilly 3rd rate timber Ash W. Oak Beech &c.
undergrowth Spice &c.

West Corrected between Secs. 20 & 29.

39.69 Set q. Sec. post, at average dist. from which
a Beech 15 in. dia. bears N 66 E 5 lks. dist. &
an Ash 40 " " " S 50 W 24 " "

77.38 to Section Corner

T2 N 19 E. 2^d Mer. Indiana

ch. lks

West Between Sec. 19 & 30.

10.54 an Ash 20 in. dia.

40.00 Set of Sec. post. from which
a W. Beech 6 in. dia. bears N 30 E 32 lks. dist. &
a Beech 24 " " " S 5 E 5 " "

46.36 a No. 18 " "

50.00 Intersected the West boundary 400 lks. S. of post.

Set post Cor. to Sec. 19 & 30, from which
a Beech 20 in. dia. bears N 28 W 19 lks. dist. &
a No. 11 " " " N 84 E 15 " "Land level 2^d rate timber Ash, Beech, Poplar
undergrowth Spice &c.

North Between Sec. 19 & 20.

8.27 a Beech 18 in. dia.

16.00 a Creek 100 lks. wide course S. 30 E. cor. rapid.

39.00 a No. 100 S. W. " rapid.

40.00 Set of Sec. post. from which

a Buckeye 7 in. dia. bears S 60 W 10 lks. dist. &
a Red Bud 6 " " " N 41 E 8 " "

45.80 a Sugar 20 " "

50.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which

a Buckeye 6 in. dia. bears N 6 W 25 lks. dist. &
a Beech 10 " " " S 41 W 15 " "Land level 2^d rate timber Ash, Sugar, Beech &c.
undergrowth Spice & thorn.

East On Random between Sec. 17 & 20.

11.00 a Creek 70 lks. wide course S. Cur. rapid

40.00 Set temp. of Sec. post.

79.40 Intersected the N. & S. line 110 lks. S. of post.

Land level 3^d rate timber Beech W. Oak Poplar.
undergrowth Spice & Briers -

West Corrected between Sec. 17 & 20.

39.70 Set of Sec. post. at average dist. from which

T2N R9E 2nd Mer. Indiana 257

ch. lky

a Beech 3 in. dia. bears S 82 E 12 lks. dist. &
 a No. 40 " " " S 88 W 6 " "
 79.40 to Section Corner

West Between Secs. 18. & 19.

6.60 a Beech 15 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 24 in. dia. bears S 62 E 21 lks. dist. &
 a No. 12 " " " N 80 W 26 " "
 49.73 a Beech 20 " "
 81.23 Intersected the W. boundary 209 lks. S. of post.
 Set a post. Cor. to Secs. 18 & 19, from which
 a W. Oak 6 in. dia. bears N 75 E 30 lks. dist. &
 a W. Ash 12 " " " S 41 W 5 " "
 Land level 2nd. rate timber Ash, Beech, W. Oak,
 Undergrowth Spice.

North Between Secs. 17 & 18.

8.50 a Creek 110 lks. wide course S. E. cur. rapid
 18.47 a Sugar 15 in. dia.
 40.00 Set q. Sec. post. from which
 a Sugar 20 in. dia. bears N 67 W 22 lks. dist. &
 a Beech 18 " " " S 79 E 51 " "
 48.31 a No. 24 " "
 62.45 a Creek 150 lks. wide Course S. W. cur. moderate.
 80.00 Set post Cor. to Secs. 7, 8, 17 & 18, from which
 a Buckeye 7 in. dia. bears S 15 E 26 lks. dist. &
 an Elm 5 " " " N 85 W 30 " "
 Land Hilly 3rd. rate timber W. Oak, Beech &c.
 Undergrowth Spice.

October 31st 1819

East On Prandom between Secs. 8 & 17.

21.00 a Creek 100 lks. wide course S. moderate.
 40.00 Set temp. q. Sec. post.
 79.00 Intersected the N. & S. line 142, S. of post.

258 T2N R9E. 2nd Mer. Indiana

ch. 6th

Land rolling 3rd rate timber Ash W. Oak Beech &c.
undergrowth Spice.

West Connected between Sec. 8 & 17

39.50 Set q. Sec. post, at average dist. from which
a Beech 12 in. dia. bears S 32 E 39. lbs. dist. &
a No. 5 " " " N 48 W 7 " "

79.00 to Section Corner

West Between Sec. 7 & 18

41.88 a Ash 10 in. dia.

29.48 a Spring branch 4 lbs. crotch Course S.

40.00 Set q. Sec. post, from which
a Beech 26 in. dia. bears N 70 E 12 lbs. dist. &
a No. 20 " " " West 14 " "

45.25 a Beech 13 " "

82.50 Intersected the W. boundary 250 lbs. S. of post.
Set post. Cor. to Sec. 7 & 18, from which
a Beech 15 in. dia. bears S 72 E 9 lbs. dist. &
a No. 10 " " " S 66 W 8 " "

Land level 2nd rate timber Ash, Beech, wingth.
Spice Briers &c.

North Between Sec. 7 & 8,

19.77 a Beech 30 in. dia.

40.00 Set q. Sec. post, from which
a Beech 20 in. dia. bears S 33 E 6 lbs. dist. &
a No. 11 " " " N 13 W 6 " "

46.65 a Beech 22 " "

80.00 Set post, Cor. to Sec. 5, 6, 7, & 8, from which
a Beech 8 in. dia. bears S 38 W 20 lbs. dist. &
an Ash 9 " " " N 70 E 25 " "

Land timber &c. Same as on the last mile

East On Prandom between Sec. 5 & 8.

40.00 Set temp. q. Sec. post.

T2 N R9 E 2nd Mer. Indiana 259

ch. lky

- 73.80 a Creek 200 lks. wide course S. rapid.
 78.00 Intersected the N. & S. line 6 lks. N. of post.
 Land timber &c. same as on the last. Mile

- West Corrected between Secs. 5 & 8
 39.00 Set of. Sec. post. at average dist. from which
 an Ash 10 in. dia. bears N 82 E 14 lks. dist. &
 a No. 8 " " " S 23 W 8 " "
 78.00 to Section Corner

- West Between Secs. 6 & 7
 7.15 an Ash 20 in. dia.
 40.00 Set of. Sec. post. from which
 a Sugar 20 in. dia. bears S 46 E 28 lks. dist. &
 a Beech 15 " " " N 11 W 30 " "
 31.31 a No. 12 " "
 83.80 Intersected the N. boundary 197 lks. S. of post.
 Set post. Cor. to Secs. 6 & 7. from which
 a Beech 12 in. dia. bears N 38 W 15 lks. dist. &
 a No. 24 " " " S 15 E 19 " "
 Land level 2nd rate timber Ash, Beech, Poplar,
 undergrowth Spice-

- North Between Secs. 5 & 6
 6.30 a Beech 15 in. dia.
 40.00 Set of. Sec. post. from which
 a Logwood 3 in. dia. bears S 21 W 14 lks. dist. &
 an Ash 6 " " " N 49 W 30 " "
 46.95 a Beech 26 " "
 68.50 Intersected the N. boundary 730 lks. E. of post.
 Set post Cor. to Secs. 5 & 6, from which
 an Ash 12 in. dia. bear N 26 W 12 lks. dist. &
 a No. 10 " " " N 41 E 11 " "
 Level Land 2nd rate timber Ash Beech W. Oak,
 undergrowth Spice. November 10th 1819

Basil Bently, Deputy Surveyor

I Certify that the foregoing transcript of field notes
of Township N: 12 North, Range N: 9 East Mer.
Indiana, has been compared with the original
notes in this Office and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 3. 1842

Sur. Genl.